

ADAPTER REFERENCE LIST - All 8" Models

| Membrane Make | Membrane Model | Adapter Kit 150 to 600 PSI | Adapter Kit 1000/1200 PSI | Type |
|---------------|----------------|-------------------------------|------------------------------|------|
|---------------|----------------|-------------------------------|------------------------------|------|

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

| | | | | |
|-----------------------|-----------------------|-------|-------|------|
| GE - Osmonics / DESAL | AD8040F | 50161 | 50165 | Male |
| | AG8040C | 50161 | 50165 | Male |
| | AG8040F | 50161 | 50165 | Male |
| | AG8040F-400 | 50161 | 50165 | Male |
| | AG8040F-400-CERT | 50161 | 50165 | Male |
| | AG8040F-CERT | 50161 | 50165 | Male |
| | AG8040N | 50161 | 50165 | Male |
| | AG8040N-400 | 50161 | 50165 | Male |
| | AK8040C | 50161 | 50165 | Male |
| | AK8040F | 50161 | 50165 | Male |
| | AK8040F-400 | 50161 | 50165 | Male |
| | AK8040F-400-CERT | 50161 | 50165 | Male |
| | AK8040N | 50161 | 50165 | Male |
| | AK8040N-400 | 50161 | 50165 | Male |
| | CD8040F | 50161 | 50165 | Male |
| | CE8040F | 50161 | 50165 | Male |
| | CE8040N | 50161 | 50165 | Male |
| | CG8040F | 50161 | 50165 | Male |
| | CK8040F | 50161 | 50165 | Male |
| | CK8040N | 50161 | 50165 | Male |
| | DURASLICK NF 8040 | 50161 | 50165 | Male |
| | DURASLICK NF 8040 HS | 50161 | 50165 | Male |
| | DURASLICK RO 8040 | 50161 | 50165 | Male |
| | DURASLICK RO 8040 HS | 50161 | 50165 | Male |
| | DURATHERM HWS RO 8040 | 50161 | 50165 | Male |
| | DURATHERM STD RO 8040 | 50161 | 50165 | Male |
| | EW8040F | 50161 | 50165 | Male |
| | HL8040F | 50161 | 50165 | Male |
| | HL8040F-400 | 50161 | 50165 | Male |
| | HL8040N | 50161 | 50165 | Male |
| | SEASOFT 8040 HF | 50161 | 50165 | Male |
| | SEASOFT 8040 HR | 50161 | 50165 | Male |

ADAPTER REFERENCE LIST - All 8" Models

| Membrane Make | Membrane Model | Adapter Kit 150 to 600 PSI | Adapter Kit 1000/1200 PSI | Type |
|---------------|----------------|-------------------------------|------------------------------|------|
|---------------|----------------|-------------------------------|------------------------------|------|

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

| | | | | |
|----------------------|-----------------|--|--|------|
| Filmtec (DOW) | BW30-365 | 50161 | 50165 | Male |
| | BW30-365-FR | 50161 | 50165 | Male |
| | BW30-400 | 50161 | 50165 | Male |
| | BW30-400/34i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | BW30-400/34i-FR | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | BW30-400-FR | 50161 | 50165 | Male |
| | BW30-440i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | BW30HR-440i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | BW30LE-440 | 50168 | 50167 | Male |
| | HSRO-390-FF | 51405 | 51404 | Male |
| | LE-400 | 50161 | 50165 | Male |
| | LE-440i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | NF270-400 | 50168 | 50167 | Male |
| | NF-390-FF | 50161 | 50165 | Male |
| | NF-400 | 51405 | 51404 | Male |
| | NF90-400 | 50168 | 50167 | Male |
| | RO-390-FF | 50161 | 50165 | Male |
| | SG30-400/34i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SG30LE-400 | 50161 | 50165 | Male |
| | SG30LE-440i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SW30-380 | 50161 | 50165 | Male |
| | SW30-8040 | 50161 | 50165 | Male |
| | SW30HR 370/34i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SW30HR LE-400 | 50161 | 50165 | Male |
| | SW30HR LE-400i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SW30HR-380 | 50161 | 50165 | Male |
| | SW30ULE-400i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SW30XHR-400i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | SW30XLE-400i | 94332 (Upstream) 50161 (Downstream) | 94333 (Upstream) 50165 (Downstream) | Male |
| | XLE-440 | 50168 | 50167 | Male |

ADAPTER REFERENCE LIST - All 8" Models

| Membrane Make | Membrane Model | Adapter Kit 150 to 600 PSI | Adapter Kit 1000/1200 PSI | Type |
|---------------|----------------|-------------------------------|------------------------------|------|
|---------------|----------------|-------------------------------|------------------------------|------|

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

| | | | | |
|-----------------------------|---------------------|-------|-------|------|
| KOCH (Fluid Systems) | 2822 HF-370 | 50161 | 50165 | Male |
| | 2822 SS-300 | 50161 | 50165 | Male |
| | 2822 SS-300 Premium | 50161 | 50165 | Male |
| | 2822 SS-360 | 50161 | 50165 | Male |
| | 2822 SS-360 Premium | 50161 | 50165 | Male |
| | 8040-HR-400 | 50161 | 50165 | Male |
| | 8040-SW-335 | 50161 | 50165 | Male |
| | 8040-ULP-375 | 50168 | 50167 | Male |
| | 8323 UF | 50168 | 50167 | Male |
| | 8723 SR2-400 | 50168 | 50167 | Male |
| | 8822 HR-365 | 50161 | 50165 | Male |
| | 8822 HR-365 Premium | 50161 | 50165 | Male |
| | 8822 HR-400 | 50161 | 50165 | Male |
| | 8822 HR-400 Premium | 50161 | 50165 | Male |
| | 8822 XR-365 | 50161 | 50165 | Male |
| | 8822 XR-400 | 50161 | 50165 | Male |
| | 8823 ULP-400 | 50168 | 50167 | Male |
| | 8923 S-400 | 50168 | 50167 | Male |
| | TFC-8822FR-365 | 50161 | 50165 | Male |
| | TFC-8822FR-400 | 50161 | 50165 | Male |

| | | | | |
|---------------------|-----------|-------|-------|------|
| Hydranautics | CPA2 | 50161 | 50165 | Male |
| | CPA3 | 50161 | 50165 | Male |
| | CPA3-LD | 50161 | 50165 | Male |
| | CPA4 | 50161 | 50165 | Male |
| | CPA5-LD | 50161 | 50165 | Male |
| | ESNA1 | 50161 | 50165 | Male |
| | ESNA1-LF | 50161 | 50165 | Male |
| | ESNA1-LF2 | 50161 | 50165 | Male |
| | ESNA1-LF2 | 50161 | 50165 | Male |
| | ESNA2 | 50161 | 50165 | Male |
| | ESPA 2-LD | 50161 | 50165 | Male |
| | ESPA1 | 50161 | 50165 | Male |
| | ESPA2 | 50161 | 50165 | Male |
| | ESPA2+ | 50161 | 50165 | Male |
| | ESPA3 | 50161 | 50165 | Male |
| | ESPA3 MAX | 50161 | 50165 | Male |
| | ESPA4 | 50161 | 50165 | Male |
| | ESPAB | 50161 | 50165 | Male |
| | LFC1 | 50161 | 50165 | Male |
| | LFC2 | 50161 | 50165 | Male |
| | LFC3 | 50161 | 50165 | Male |
| | LFC3-LD | 50161 | 50165 | Male |
| | SWC1 | 50161 | 50165 | Male |
| | SWC2 | 50161 | 50165 | Male |
| | SWC3 | 50161 | 50165 | Male |
| | SWC3+ | 50161 | 50165 | Male |
| | SWC4 | 50161 | 50165 | Male |
| | SWC4+ | 50161 | 50165 | Male |
| | SWC4+ Max | 50161 | 50165 | Male |
| | SWC4+B | 50161 | 50165 | Male |
| | SWC4B | 50161 | 50165 | Male |
| | SWC5 | 50161 | 50165 | Male |
| | SWC5 MAX | 50161 | 50165 | Male |
| | SWC6 MAX | 50161 | 50165 | Male |

ADAPTER REFERENCE LIST - All 8" Models

| Membrane Make | Membrane Model | Adapter Kit 150 to 600 PSI | Adapter Kit 1000/1200 PSI | Type |
|---------------|----------------|-------------------------------|------------------------------|------|
|---------------|----------------|-------------------------------|------------------------------|------|

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

| | | | | |
|---------------------|---------------|-------|-------|------|
| Saehan - CSM | NE8040-70 | 50161 | 50165 | Male |
| | RE8040-BE | 50161 | 50165 | Male |
| | RE8040-BE440 | 50168 | 50167 | Male |
| | RE8040-BLF | 50161 | 50165 | Male |
| | RE8040-BLN | 50161 | 50165 | Male |
| | RE8040-BN | 50161 | 50165 | Male |
| | RE8040-BN300 | 50161 | 50165 | Male |
| | RE8040-FD | 50161 | 50165 | Male |
| | RE8040-FN | 50161 | 50165 | Male |
| | RE8040-FN300 | 50161 | 50165 | Male |
| | RE8040-HUE440 | 50161 | 50165 | Male |
| | RE8040-SHN | 50161 | 50165 | Male |
| | RE8040-SHN400 | 50161 | 50165 | Male |
| | RE8040-SR | 50161 | 50165 | Male |
| | RE8040-UE | 50161 | 50165 | Male |

| | | | | |
|-------------------------|------------|-------|-------|------|
| Toray (Romembra) | TM720-365 | 50161 | 50165 | Male |
| | TM720-370 | 50161 | 50165 | Male |
| | TM720-400 | 50161 | 50165 | Male |
| | TM720-430 | 50161 | 50165 | Male |
| | TM720C-430 | 50161 | 50165 | Male |
| | TM720L-400 | 50161 | 50165 | Male |
| | TM720L-430 | 50161 | 50165 | Male |
| | TM820-370 | 50161 | 50165 | Male |
| | TM820-400 | 50161 | 50165 | Male |
| | TM820A-370 | 50161 | 50165 | Male |
| | TM820A-400 | 50161 | 50165 | Male |
| | TM820B-370 | 50161 | 50165 | Male |
| | TM820C-370 | 50161 | 50165 | Male |
| | TM820C-400 | 50161 | 50165 | Male |
| | TM820E-400 | 50161 | 50165 | Male |
| | TM820F-400 | 50161 | 50165 | Male |
| | TM820H-370 | 50161 | 50165 | Male |
| | TM820H-400 | 50161 | 50165 | Male |
| | TM820L-370 | 50161 | 50165 | Male |
| | TM820L-400 | 50161 | 50165 | Male |
| | TMG20-370 | 50168 | 50167 | Male |
| | TMG20-400 | 50168 | 50167 | Male |
| | TMG20-430 | 50168 | 50167 | Male |
| | TMH20A-370 | 50168 | 50167 | Male |
| | TMH20A-400 | 50168 | 50167 | Male |
| | TMH20A-430 | 50168 | 50167 | Male |
| | TML20-370 | 50161 | 50165 | Male |
| | TML20-400 | 50161 | 50165 | Male |

ADAPTER REFERENCE LIST - All 8" Models

| Membrane Make | Membrane Model | Adapter Kit 150 to 600 PSI | Adapter Kit 1000/1200 PSI | Type |
|---------------|----------------|-------------------------------|------------------------------|------|
|---------------|----------------|-------------------------------|------------------------------|------|

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

| | | | | |
|--------|----------------|-------|-------|------|
| Trisep | 8040-ACM1-TSA | 50168 | 50167 | Male |
| | 8040-ACM2-TSA | 50168 | 50167 | Male |
| | 8040-ACM2-TSAN | 50168 | 50167 | Male |
| | 8040-ACM2-TSFA | 50161 | 50165 | Male |
| | 8040-ACM2-UWA | 50168 | 50167 | Male |
| | 8040-ACM2-UWAN | 50168 | 50167 | Male |
| | 8040-ACM3-TSA | 50168 | 50167 | Male |
| | 8040-ACM3-TSAN | 50168 | 50167 | Male |
| | 8040-ACM3-UWA | 50168 | 50167 | Male |
| | 8040-ACM3-UWAN | 50168 | 50167 | Male |
| | 8040-ACM4-TSA | 50168 | 50167 | Male |
| | 8040-ACM4-TSAN | 50168 | 50167 | Male |
| | 8040-ACM4-TSFA | 50161 | 50165 | Male |
| | 8040-ACM4-UWA | 50168 | 50167 | Male |
| | 8040-ACM4-UWAN | 50168 | 50167 | Male |
| | 8040-ACM5-TSA | 50168 | 50167 | Male |
| | 8040-ACM5-TSAN | 50168 | 50167 | Male |
| | 8040-ACM5-URA | 50168 | 50167 | Male |
| | 8040-ACM5-UWA | 50168 | 50167 | Male |
| | 8040-ACM5-UWAN | 50168 | 50167 | Male |
| | 8040-SB20-TSA | 50168 | 50167 | Male |
| | 8040-SB50-TSA | 50168 | 50167 | Male |
| | 8040-TS80-TSA | 50168 | 50167 | Male |
| | 8040-TS80-TSAN | 50168 | 50167 | Male |
| | 8040-TS80-UWA | 50168 | 50167 | Male |
| | 8040-TS80-UWAN | 50168 | 50167 | Male |
| | 8040-TS80-UWFA | 50161 | 50165 | Male |
| | 8040-TS82-TSA | 50168 | 50167 | Male |
| | 8040-TS83-TSA | 50168 | 50167 | Male |
| | 8040-TS83-TSAN | 50168 | 50167 | Male |
| | 8040-TS83-UWA | 50168 | 50167 | Male |
| | 8040-TS83-UWAN | 50168 | 50167 | Male |
| | 8040-X201-TSA | 50168 | 50167 | Male |
| | 8040-X201-TSAN | 50168 | 50167 | Male |
| | 8040-X201-TSFA | 50161 | 50165 | Male |
| | 8040-X201-UWA | 50168 | 50167 | Male |
| | 8040-X201-UWAN | 50168 | 50167 | Male |
| | 8040-XN45-TSA | 50168 | 50167 | Male |
| | 8040-XN45-TXA | 50168 | 50167 | Male |